## Aqua



## 7.4kW Split Air Conditioner

Low GWP, energy efficient, small, portable, versatile air conditioner suitable for any purpose



## **Key Features**

- Massive 7.4kW of heat rejection on standard 13a plug
- Low Global Warming Potential refrigerant
- · Ideal for data centres and server rooms
- EC fans: Greater efficiency, better performance and fully controllable
- Heat rejection range up to 30M via umbilical line connected to external condenser. No exhaust ducting required
- Digital thermostatic control: Allowing for an easy and more accurate performance
- High performance, energy efficient cooling solutions for today's environmentally conscious market
- · Unit is on castors for easy positioning and setup

General Data	
--------------	--

Nominal Duty	kW	7.4
Nominal Running Current	А	12.5
Controls	-	Digital Thermostatic
Exhaust Ducting	mm	30
Cooling Ducting	mm	2 x Adjustable
High Efficiency	-	EC Fan Technology
Operating Range	°C	15°C - 35°C
Power Supply	-	240/1/150
Plug Type	-	13 amp 3 pin domestic
Weight (Indoor Unit)	kg	90
Weight (External Unit)	kg	22
Dimensions	mm	1308 x 805 x 382mm
Castors	-	Lockable
Refrigerant	-	R454C

## Our Hire fleet also includes:









Large Evap Cooler



Air Conditoner

\*Please note, information given is indicative and subject to change at any time

Temperature Control Specialists. 0333 004 4433 aquacooling.co.uk hire@aquacooling.co.uk Unit 6 Brickfield Lane Chandler's Ford Industrial Estate Eastleigh, Hampshire, SO53 4DP